




Canada standard electrical box



PHOTO	DESC
	<p>Item No.:2020 Size:4" x 2-1/8" x 1-7/8" Description: 1. Rectangle utility box 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> <p style="text-align: right;"> www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1 </p>
	<p>Item No.:1110 Size: 4"x2-1/2" x 1-7/8" Description: 1. Rectangle utility box 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> <p style="text-align: right;"> www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1 </p>
	<p>Item No.:1110-R Size: 4"x2-1/2" x 1-7/8" Thickness:1.2-1.3mm Description: 1.Rectangle utility box . Extension ring. 2.Thickness:1.2-1.3mm 3.Material:Galvanized steel</p> <p style="text-align: right;"> www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1 </p>
	<p>Item No.:54151-K Size:4" x 4" x 1-1/2" Description: 1.4" Octagonal box with concentric knockouts 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<p>Item No.:54151-L Size:4" x 4" x 1-1/2" Description: 1.4" Octagonal box .Prepositioned depth tabs recessed 1/2". 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel Phone:905-794-1433</p> <p style="text-align: right;"> www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1 </p>
	<p>Item No.:54151-KSSX Size:4" x 4" x 1-1/2" Description: 1.4" Octagonal box with concentric knockouts."Wraparound " bracket for 2-1/2" and 3-5/8" steel studs.With integral support bracket. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> <p style="text-align: right;"> www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1 </p>

	<p>Item No.:54151-LA Size:4" x 4" x 1-1/2" Description: 1.4" Octagonal metal box. Armoured and nonmetallic sheathed cable clamps. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> <p>   www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>
	<p>Item No.:54151-LB Size:4" x 4" x 1-1/2" Description: 1.4" Octagonal metal box .Side bracket ,with holding prongs and prepositioned depth tabs. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> <p>   www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>
	<p>Item No.:54151-LSSAX Size:4" x 4" x 1-1/2" Description: 1.4" Octagonal metal box "Wraparound" bracket for 2-1/2" and 3-5/8" steel studs.With integral support bracket. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> <p>   www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>
	<p>Item No.:55151-K Size:4" x 4" x 1-1/2" Description: 1.4" Octagonal extension box..Extension ring with ground screw.Concentric Knockouts. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> <p>   www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>
	<p>Item No.:54171-L Size:4" x 4" x 2-1/8" Description: 1.4" Octagonal junction box with cable clamps. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> <p>   www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>
	<p>Item No.:54171-K Size:4" x 4" x 2-1/8" Description: 1.4" Octagonal junction box with concentric knockouts.With raised earth grounding. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> <p>   www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>

	<p>   Item No.:1100-L Size:3" x 2" x 1-1/2" Description: 1.Steel gangable device box with flush ears . 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p> <p>   Certified to CSA STD C22.2 No. 18.1 </p>
	<p>   Item No.:1100-LLE Size:3" x 2" x 1-1/2" Description: 1.Steel gangable device box with less ears. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p> <p>   Certified to CSA STD C22.2 No. 18.1 </p>
	<p>   Item No.:1102-L Size:3"x2"x2" Description: 1.Steel gangable device box with flush ears. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p> <p>   Certified to CSA STD C22.2 No. 18.1 </p>
	<p>   Item No.:1102-LH Size:3"x2"x2" Description: 1.Steel gangable device box with cable clamps. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p> <p>   Certified to CSA STD C22.2 No. 18.1 </p>
	<p>   Item No.:1102-K Size:3"x2"x2" Description: 1.Steel gangable device box with six knockouts and recessed ears . 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p> <p>   Certified to CSA STD C22.2 No. 18.1 </p>
	<p>   Item No.:1104-K Size:3" x 2" x 2-1/2" Description: 1.Steel gangable device box with concentric knockouts and recessed ears. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p> <p>   Certified to CSA STD C22.2 No. 18.1 </p>
	<p>   Item No.:1104-L Size:3" x 2" x 2-1/2" Description: 1.Gangable device box with flush ears. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p> <p>   Certified to CSA STD C22.2 No. 18.1 </p>



















	<p style="text-align: center;">   www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1 </p> <p>Item No.:1104-LA Size:3" x 2" x 2-1/2" Description: 1.Gangable device box with flush ears. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<p style="text-align: center;">   www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1 </p> <p>Item No.:1104-LH Size:3" x 2" x 2-1/2" Description: 1.Gangable device box with cable clamps. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<p style="text-align: center;">   www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1 </p> <p>Item No.:1104-LHA Size:3" x 2" x 2-1/2" Description: 1.Gangable device box .Positioning tabs.Provision for external nailing.Two embossed mounting slots for internal screw installation. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<p style="text-align: center;">   www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1 </p> <p>Item No.:1304-LH(old) Size:3" x 2" x 2-1/2" Description: 1.Metal device box .Positioning tabs. Provision for external nailing.Positioning tabs for 1/2" and 3/4" drywall. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<p style="text-align: center;">   www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1 </p> <p>Item No.:1304-LH(new) Size:3" x 2" x 2-1/2" Description: 1.Metal device box .Positioning tabs.Provision for external nailing.Positioning tabs for 1/2" and 3/4" drywall. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>

	<div style="text-align: right;">   </div> <p> www.jencocanada.ca Certified to CSA STD C22.2 No. 18.1 </p> <p> Item No.:1004-LH Size:3" x 2" x 3" Description: 1.Gangable device box.Positioning tabs.Provision for external nailing.Two embossed mounting slots for internal screw installation. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p>
	<p> Item No.:3104-KSSX Size:3" x 2" x 2-1/2" Description: 1.Steel device gangable box with concentric knockouts."Wraparound" bracket for 2-1/2" and 3-5/8" steel studs,With integral support bracket. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p>
	<div style="text-align: right;">   </div> <p> www.jencocanada.ca Certified to CSA STD C22.2 No. 18.1 </p> <p> Item No.:3104-LHA Size:3" x 2" x 2-1/2" Description: 1.Steel gangable box. Positioning tabs.Provision for external nailing. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p>
	<div style="text-align: right;">   </div> <p> www.jencocanada.ca Certified to CSA STD C22.2 No. 18.1 </p> <p> Item No.:3104-LSSAX Size:3" x 2" x 2-1/2" Description: 1.Steel device gangable single box. "Wraparound" bracket for 2-1/2" and 3-5/8" steel studs.With integral support bracket. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p>
	<div style="text-align: right;">   </div> <p> www.jencocanada.ca Certified to CSA STD C22.2 No. 18.1 </p> <p> Item No.:3102-KSSX Size:3" x 2" x 2" Description: 1.Steel device gangable single box with wraparound bracket 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p>
	<div style="text-align: right;">   </div> <p> www.jencocanada.ca Certified to CSA STD C22.2 No. 18.1 </p> <p> Item No.:3102-LSSAX Size:3" x 2" x 2" Description: 1.Steel gangable device box ."Wraparound" bracket for 1-5/8" steel studs.With integral support bracket. </p>

	<p>2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  www.jencocanada.ca </div> <div style="text-align: center;">  Intertek 4009580 </div> </div> <p>Item No.:1804-LH Certified to CSA STD C22.2 No. 18.1 Size:3" x 2" x 2-1/2" Description:1.Extra capacity device box .Positioning tabs.External nailing.Mounting slots for internal screw installation.X-Cube adds 5.5 cu.in. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  www.jencocanada.ca </div> <div style="text-align: center;">  Intertek 4009580 </div> </div> <p>Item No.:2104-LLE Certified to CSA STD C22.2 No. 18.1 Size:3" x 2" x 2-1/2" Description: 1.Single gang device box .Holding prongs and prepositioned depth tabs. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  www.jencocanada.ca </div> <div style="text-align: center;">  Intertek 4009580 </div> </div> <p>Item No.:2104-LLE2 Certified to CSA STD C22.2 No. 18.1 Size:3" x 3-3/4" x 2-1/2' Description: 1.Two gang device box.Holding prongs and prepositioned depth tabs. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  www.jencocanada.ca </div> <div style="text-align: center;">  Intertek 4009580 </div> </div> <p>Item No.:2104-LLE3 Certified to CSA STD C22.2 No. 18.1 Size: 3"x5-1/2"x2-1/2" Description: 1.Three gang device box.Holding prongs and prepositioned depth tabs. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  www.jencocanada.ca </div> <div style="text-align: center;">  Intertek 4009580 </div> </div> <p>Item No.:2104-LLE4 Certified to CSA STD C22.2 No. 18.1 Size: 3"x7-3/8"x2-1/2" Description: 1.Four gang device box.Holding prongs and prepositioned depth tabs. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  www.jencocanada.ca </div> <div style="text-align: center;">  Intertek 4009580 </div> </div>

	<p style="text-align: right;">   Intertek 4009580 </p> <p> Item No.:2104-LSSAX www.jencocanada.ca Size: 3" x 2" x 2-1/2" Certified to CSA STD C22.2 No. 18.1 Description: 1.One gang steel device boxes."Wraparound" bracket for 2-1/2" and 3-5/8" steel studs.With Integral support bracket . 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p>
	<p style="text-align: right;">   Intertek 4009580 </p> <p> Item No.:2104-LSSAX2 www.jencocanada.ca Size: 3"x3-3/4"x2-1/2" Certified to CSA STD C22.2 No. 18.1 Description: 1.Two gang steel device boxes."Wraparound" bracket for 2-1/2" and 3-5/8" steel studs.With Integral support bracket. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p>
	<p style="text-align: right;">   Intertek 4009580 </p> <p> Item No.:2104-LSSAX3 www.jencocanada.ca Size: 3"x5-1/2"x2-1/2" Certified to CSA STD C22.2 No. 18.1 Description: 1.Three gang steel device boxes."Wraparound" bracket for 2-1/2" and 3-5/8" steel studs.With Integral support bracket. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p>
	<p style="text-align: right;">   Intertek 4009580 </p> <p> Item No.:2104-LSSAX4 www.jencocanada.ca Size: 3"x7-3/8"x2-1/2" Certified to CSA STD C22.2 No. 18.1 Description: 1.Four gang steel device boxes ."Wraparound" bracket for 2-1/2" and 3-5/8" steel studs.With Integral support bracket. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p>
	<p> Item No.:MBS-1K Size: 3-3/4" x 2" x 2-1/2" Description: 1.1 Gang masonry box ,Multi-gang boxes 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p>
	<p style="text-align: right;">   Intertek 4009580 </p> <p> Item No.:MBD-1K www.jencocanada.ca Size:3-3/4"*2" *3-1/2" Certified to CSA STD C22.2 No. 18.1 Description: 1.2 Gang masonry box ,Multi-gang boxes 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel </p>

	<p style="text-align: center;">    </p> <p>Item No.:1204-LA-HV www.jencocanada.ca Size: 3"x2-1/4"x2-1/2" Certified to CSA STD C22.2 No. 18.1</p> <p>Description: 1.Steel volt device box with flush ear. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<p style="text-align: center;">    </p> <p>Item No.:1204-LSSAX-H¹ www.jencocanada.ca Size: 3"x2-1/4"x2-1/2" Certified to CSA STD C22.2 No. 18.1</p> <p>Description: 1.Steel volt device boxes with bracket . 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<p style="text-align: center;">    </p> <p>Item No.:52151-K www.jencocanada.ca Size: 4"x4"x1-1/2" Certified to CSA STD C22.2 No. 18.1</p> <p>Description: 1.4" Square conduit box with concentric knockouts .With raised earth grounding. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<p style="text-align: center;">    </p> <p>Item No.:52171-K www.jencocanada.ca Size: 4"x4"x2-1/8" Certified to CSA STD C22.2 No. 18.1</p> <p>Description: 1.4" Square conduit box with concentric knockouts .With raised earth grounding. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<p style="text-align: center;">    </p> <p>Item No.:72171-K www.jencocanada.ca Size: 4-11/16"x4-11/16"x2-1/8" Certified to CSA STD C22.2 No. 18.1</p> <p>Description: 1.4-11/16" Square junction box with concentric knockouts . With raised earth grounding . 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<p style="text-align: center;">    </p> <p>Item No.:53151-K www.jencocanada.ca Size: 4"x4"x1-1/2" Certified to CSA STD C22.2 No. 18.1</p> <p>Description: 1.4" Square extension box with concentric knockout Extension Ring</p>

	<p>1.Knockout.Extension Ring . 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p>
	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  <p>Item No.:53171-K Size: 4"x4"x2-1/8" Description: 1.4" Square extension box with concentric knockouts.Extension Ring . 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> </div> <div style="text-align: center;">  <p>www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p> </div> </div>
	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  <p>Item No.:73171-K Size: 4-11/16"x4-11/16"x2-1/8" Description: 1.4-11/16" Square extension box with concentric knockouts.Extension ring. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> </div> <div style="text-align: center;">  <p>www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p> </div> </div>
	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  <p>Item No.:52151-KSSX Size: 4"x4"x1-1/2" Description: 1.4" Square Shallow Wraparound Box for 2-1/2" and 3-5/8" steel studs.With integral support bracket. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> </div> <div style="text-align: center;">  <p>www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p> </div> </div>
	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  <p>Item No.:52171-KSSX Size: 4"x4"x2-1/8" Description: 1.4" Square deep Wraparound box for 2-1/2" and 3-5/8" steel studs.With integral support bracket.Present for 1*1/2" drywall thickness. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> </div> <div style="text-align: center;">  <p>www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p> </div> </div>
	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  <p>Item No.:72171-KSSX Size: 4-11/16"x4-11/16"x2-1/8" Description: 1.4-11/16" Square Stove box Wraparound for 2-1/2" and 3-5/8" steel studs. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> </div> <div style="text-align: center;">  <p>www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p> </div> </div>
	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> </div>

	<p>Item No.:777-LRB Size:3"x2"x2-1/4" Description: 1.Steel junction box .Pivoting ends for rework installation.Max.wall thickness:1-1/8". 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> <p>www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>
	<p>Item No.56111 Size:3-1/4" Round Description: 1. Round Pancake Box 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> <p>Jenco Canada LED www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>
	<p>Item No.:2000 Size:3-3/4"x4"x2" Description: 1.Low-profile electrical device box .Protects cables running on top of a stud.Easy to install. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> <p>Jenco Canada LED www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>
	<p>Item No.:BEX Size: Description: 70*45*25mm 1.Steel device box ,extension ring. 2.Thickness:1.2mm &1.3mm 3.Material:Galvanized steel</p> <p>Jenco Canada LED www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>