



Covers & Metal accessories



Item No. 58C4(20C4)

Size: 4" * 2"

Description:

- 1.4"X2" Handy utility blank box cover
- 2.Thickness: 0.7mm -1.6mm
- 3.Material: Galvanized steel



www.jencocanada.ca



Intertek
4009580

Certified to CSA STD C22.2 No. 18.1



Item No. 20C5

Size: 4" * 2"

Description:

- 1.4"X2" Handy utility toggle switch cover
- 2.Thickness: 0.7mm -1.6mm
- 3.Material: Galvanized steel



www.jencocanada.ca



Intertek
4009580

Certified to CSA STD C22.2 No. 18.1



Item No. 20C1 (58C1)

Size:4"*2"

Description:

- 1.4"X2" Handy Utility Duplex Receptacle Cover
- 2.Thickness:0.7mm-1.6mm
- 3.Material: Galvanized steel



www.jencocanada.ca



Intertek
4009580

Certified to CSA STD C22.2 No. 18.1



Item No. 11C1

Size: 4" * 2-1/2"

Description:

- 1.Steel rectangle handy cover for duplex receptacle
- 2.Thickness: 0.7mm-1.6mm
- 3.Material: Galvanized steel



www.jencocanada.ca



Intertek
4009580

Certified to CSA STD C22.2 No. 18.1



Item No. 58C6

Size: 4" * 2"

Description:

1.4"X2" Handy Utility 1/2 Knockout Cover

2.Thickness:0.7mm -1.6mm

3.Material: Galvanized steel



www.jencocanada.ca

Certified to CSA STD C22.2 No. 18.1



Intertek
4009580



Item No. 20C3

Size: 4" * 2"

Description:

1.4"X2" Handy Utility 1/2" Knockout Cover

2.Thickness:0.7mm -1.6mm

3.Material: Galvanized steel



www.jencocanada.ca

Certified to CSA STD C22.2 No. 18.1



Intertek
4009580



Item No. 20C35

Size: 4" * 2"

Description:

1.4"X2" Handy Utility 1" Knockout Cover

2.Thickness:0.7mm -1.6mm

3.Material: Galvanized steel



www.jencocanada.ca

Certified to CSA STD C22.2 No. 18.1



Intertek
4009580



Item No. 11C5

Size: 4" * 2-1/2"

Description:

1.Handy utility toggle switch cover

2.Thickness: 0.7mm -1.6mm

3.Material: Galvanized steel



www.jencocanada.ca

Certified to CSA STD C22.2 No. 18.1



Intertek
4009580



Item No.11C4
 Size: 4" * 2-1/2"
 Description:
 1.Handy utility blank box cover
 2.Thickness: 0.7mm -1.6mm
 3.Material: Galvanized steel



www.jencocanada.ca



Intertek
4009580

Certified to CSA STD C22.2 No. 18.1



Item No. 11C3
 Size: 4" * 2-1/2"
 Description:
 1..4"X2-1/2" Handy Utility 1/2" Knockout Cover
 2.Thickness: 0.7mm -1.6mm
 3.Material: Galvanized steel



www.jencocanada.ca



Intertek
4009580

Certified to CSA STD C22.2 No. 18.1



Item No.11C35
 Size: 4" * 2-1/2"
 Description:
 1..4"X2-1/2" Handy Utility 1" Knockout Cover
 2.Thickness: 0.7mm -1.6mm
 3.Material: Galvanized steel



www.jencocanada.ca



Intertek
4009580

Certified to CSA STD C22.2 No. 18.1



Item No. 72C17
 Size: 4-11/16" * 4-11/16"
 Description:
 1.1/2" raised 4-11/16"square cover
 2.Thickness:0.7mm-1.6mm
 3.Material: Galvanized steel



www.jencocanada.ca



Intertek
4009580

Certified to CSA STD C22.2 No. 18.1

	<p>Item No. 72C10 (SA) Size: 4-11/16" * 4-11/16 Description: 1. 1/4" raised 4-11/16" square cover 2. Thickness: 0.7mm-1.6mm 3. Material: Galvanized steel</p> <p>   www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>
	<p>Item No. 72C13 (SA) Size: 4-11/16" * 4-11/16 Description: 1. 1/2" raised 4-11/16" square cover 2. Thickness: 0.7mm-1.6mm 3. Material: Galvanized steel</p> <p>   www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>
	<p>Item No. 52C13 size: 4" * 4" Description: 1. 4" Square 1/2" raised one gang device ring 2. Thickness: 0.7mm-1.6mm 3. Material: Galvanized steel</p> <p>   www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>
	<p>Item No. 52C62 size: 4" * 4" Description: 1. 4" Square box cover 1/4" raised 1-gang 2. Thickness: 0.7mm-1.6mm 3. Material: Galvanized steel</p> <p>   www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>



Item No.52C13 (Canada)
size: 4" * 4"
Description:
1.4" Square 1/2" raised one gang device ring
2.Thickness:0.7mm-1.6mm
3.Material: Galvanized steel



www.jencocanada.ca



Certified to CSA STD C22.2 No. 18.1



Item NO. 72C3
Size: 4"*4"
Decription:
1.4-11/16" Square raised plaster ring cover
2.Thickness: 0.7mm -1.6mm
3.Material: Galvanized steel



www.jencocanada.ca



Certified to CSA STD C22.2 No. 18.1



Item NO. 72C13
Size:4-11/16" * 4-11/16"
Description:
1.4-11/16" Square cover raised 1/2"
2.Thickness:0.7mm-1.6mm
3.Material:galvanized steel



www.jencocanada.ca



Certified to CSA STD C22.2 No. 18.1



Item No.72C10
size:4-11/16" * 4-11/16"
Description:
1.4-11/16" Square cover raised 1/4"
2.Thickness:0.7mm-1.6mm
3.Material: Galvanized steel




www.jencocanada.ca



Certified to CSA STD C22.2 No. 18.1

	<p>Item No. 52C13 (US) size: 4" * 4"</p> <p>Description: 1.4" Square 1/2" raised one gang device ring 2. Thickness: 0.7mm -1.6mm 3. Material: Galvanized</p> <p>  www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>
	<p>Item No. 52C17 size: 4" * 4"</p> <p>Description: 1.4" Square 1/2" raised device cover for 2 gang 2. Thickness: 0.7mm-1.6mm 3. Material: Galvanized steel</p> <p>  www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>
	<p>Item No. 52C20 size: 4" * 4"</p> <p>Description: 1.4" Square 1/4" raised device cover for 2 gang 2. Thickness: 0.7mm -1.6mm 3. Material: Galvanized steel</p> <p>  www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>
	<p>Item No. 52C3 Size: 4" * 4"</p> <p>Description: 1.4" Square raised plaster ring cover 2. Thickness: 0.7mm -1.6mm 3. Material: Galvanized steel</p> <p>  www.jencocanada.ca Intertek 4009580 Certified to CSA STD C22.2 No. 18.1</p>



Item No. 8365

Size: 4" * 4"

Decription:

- 1.3/8 raised surface cover, one duplex receptacles
- 2.Thickness: 0.7mm-1.6mm
- 3.Material: Galvanized steel



www.jencocanada.ca



Intertek
4009580

Certified to CSA STD C22.2 No. 18.1



Item No. 8371

Size: 4" * 4"

Decription:

- 1.3/8 raised surface cover, two duplex receptacles
- 2.Thickness: 0.7mm-1.6mm
- 3.Material: Galvanized steel



www.jencocanada.ca



Intertek
4009580

Certified to CSA STD C22.2 No. 18.1



Item No. 8361

Size: 4" * 4"

Decription:

- 1.3/8 raised surface cover, one toggle switch
- 2.Thickness: 0.7mm-1.6mm
- 3.Material: Galvanized steel



www.jencocanada.ca



Intertek
4009580

Certified to CSA STD C22.2 No. 18.1



Item No. 8367

Size: 4" * 4"

Decription:

- 1.3/8 raised surface cover, two toggle switches
- 2.Thickness: 0.7mm -1.6mm
- 3.Material: Galvanized steel



www.jencocanada.ca



Intertek
4009580

Certified to CSA STD C22.2 No. 18.1



Item No. 52C1
 Size: 4" * 4"
 Decription:
 1.4" Square flat blank steel cover
 2.Thickness: 0.7mm-1.6mm
 3.Material: Galvanized steel



www.jencocanada.ca

Intertek
4009580

Certified to CSA STD C22.2 No. 18.1



Item No. 52C6
 Size: 4" * 4"
 Decription:
 1.4" Square flat steel cover with 1/2" KO (KO size also can be 3/4")
 2.Thickness: 0.7mm -1.6mm
 3.Material: Galvanized steel



www.jencocanada.ca

Intertek
4009580

Certified to CSA STD C22.2 No. 18.1



Item No. 52C0
 Size: 4" * 4"
 Decription:
 1.4" Flat blank square cover for 1 gang
 2.Thickness: 0.7mm-1.6mm
 3.Material: Galvanized steel



www.jencocanada.ca

Intertek
4009580

Certified to CSA STD C22.2 No. 18.1



Item No. 52C00
 Size: 4" * 4"
 Decription:
 1.4" Flat blank square cover for 2 gang
 2.Thickness: 0.7mm -1.6mm
 3.Material: Galvanized steel



www.jencocanada.ca

Intertek
4009580

Certified to CSA STD C22.2 No. 18.1



Item No. 66XXL
 Size: 4-1/4" * 3-3/4"

Decription:
 1.Extralarge rectangle cable protector plates
 2.Thickness: 0.7mm-1.6mm
 3.Material: Galvanized steel



www.jencocanada.ca

Certified to CSA STD C22.2 No. 18.1



Intertek
4009580



Item No. BS77
 Size: 3" * 3"

Decription:
 1.3" Square flat cover 1/2" KO (KO size also can be 3/4")
 2.Thickness: 0.7mm-1.6mm
 3.Material: Galvanized steel



www.jencocanada.ca

Certified to CSA STD C22.2 No. 18.1



Intertek
4009580



Item No. 54C1(Oct)
 Size: 4"*4"

Decription:
 1.4" Flat octagonal cover
 2.Thickness: 0.7mm -1.6mm
 3.Material: Galvanized steel



www.jencocanada.ca

Certified to CSA STD C22.2 No. 18.1



Intertek
4009580



Item No. 54C6(Oct)
 Size: 4"*4"

Decription:
 1.4" Flat octagonal cover with 1/2" KO (KO size also can be 3/4")
 2.Thickness: 0.7mm -1.6mm
 3.Material: Galvanized steel



www.jencocanada.ca

Certified to CSA STD C22.2 No. 18.1



Intertek
4009580



Item No. 66
 Size: 1-3/8" * 3"
 Decription:
 1.Protector Plates for Wood Studs
 2.Thickness: 0.7mm -1.2mm
 3.Material: Galvanized steel




www.jencocanada.ca

Certified to CSA STD C22.2 No. 18.1



Intertek
4009580



Item No. 820D
 Decription:
 1.Old Work Switch Box Mounting Holder,
 1-1/2" Maximum Wall Thickness
 2.Thickness: 0.7mm -1.2mm
 3.Material: Galvanized steel



www.jencocanada.ca

Certified to CSA STD C22.2 No. 18.1



Intertek
4009580



Item No.72C6-K
 Size:4-11/16"
 Decription:
 1.With concentric 1/2" and 3/4" conduit knockout
 2.Thickness: 0.7mm -1.6mm
 3.Material: Galvanized steel



www.jencocanada.ca

Certified to CSA STD C22.2 No. 18.1



Intertek
4009580



Item No.72C6
 Size: 4-11/16" * 4-11/16"
 Decription:
 1.4-11/16" Square cover 1/2" KO (KO size also can be 3/4")
 2.Thickness: 07.mm -1.6mm
 3.Material: Galvanized steel















www.jencocanada.ca

Certified to CSA STD C22.2 No. 18.1



Intertek
4009580

	<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 60%;"> <p>Item No. 72C1 Size: 4-11/16" * 4-11/16" Decription: 1.4-11/16" Square cover 2.Thickness: 0.7mm -1.6mm 3.Material: Galvanized steel</p> </div> <div style="width: 35%; text-align: right;">   Intertek 4009580 www.jencocanada.ca Certified to CSA STD C22.2 No. 18.1 </div> </div>
	<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 60%;"> <p>Item No. 54C6 Size: 4" * 4" Decription: 1.4" Flat round cover 1/2" KO (KO size also can be 3/4") 2.Thickness: 0.7mm -1.6mm 3.Material: Galvanized steel</p> </div> <div style="width: 35%; text-align: right;">   Intertek 4009580 www.jencocanada.ca Certified to CSA STD C22.2 No. 18.1 </div> </div>
	<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 60%;"> <p>Item No. 54C1 Size: 4" * 4" Decription: 1.4" Flat round cover 2.Thickness: 0.7mm -1.6mm 3.Material: Galvanized steel</p> </div> <div style="width: 35%; text-align: right;">   Intertek 4009580 www.jencocanada.ca Certified to CSA STD C22.2 No. 18.1 </div> </div>
	<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 60%;"> <p>Item No. P66 Size: 3" * 1-1/4" Decription: 1.Cable protector plates 2.Thickness: 0.7mm -1.2mm 3.Material: Galvanized steel</p> </div> <div style="width: 35%; text-align: right;">   Intertek 4009580 www.jencocanada.ca Certified to CSA STD C22.2 No. 18.1 </div> </div>



Item No. 1321
 Size: 4" * 4"
 Description:
 1. Thickness: 0.7mm - 1.2mm
 2. Material: Galvanized steel



www.jencocanada.ca

Certified to CSA STD C22.2 No. 18.1



Intertek
4009580



Item No. S1 S2 S2L S3 S4

Description: Wire Staples, 14-12/3

Use: Wire Staples are designed to secure wire to floorboards, floors and walls

Size: Available in various dimensions



www.jencocanada.ca

Certified to CSA STD C22.2 No. 18.1



Intertek
4009580



Item: PVC

Description: CONNECTR, PLAST. 1/2"

Material: Plastic Connectors measuring at 1/2"

Colour: Available in grey



www.jencocanada.ca

Certified to CSA STD C22.2 No. 18.1



Intertek
4009580



EMT Set screw zinc Connector

Standard: UL514B

Material: Zinc Die Cast

Size: 1/2"-4"

Electrical Product Type : Standard Fitting

Fitting type : Connector















www.jencocanada.ca

Certified to CSA STD C22.2 No. 18.1



Intertek
4009580

	<p>EMT Tube</p> <p>Tade Size : from 1/2" to 4"</p> <p>Length: 3050mm</p> <p>Usage: through the electrical wires with the purpose of protection system for the electrical raceway</p> <p>Material : Q195 HIGH GRADE MILD STRIP STEEL</p> <p>Package: the conduits coverd with raschel bags then tied with steel straps zinc coated both inside and outsidehot galvanized emt</p> <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  www.jencocanada.ca </div> <div style="text-align: center;">  Intertek 4009580 </div> </div> <p style="text-align: center;">Certified to CSA STD C22.2 No. 18.1</p>
	<p>Cable Straps, BX wire</p> <p>Wire straps,BX wire is designed to fix and support wire cable</p> <p>Metal construction</p> <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  www.jencocanada.ca </div> <div style="text-align: center;">  Intertek 4009580 </div> </div> <p style="text-align: center;">Certified to CSA STD C22.2 No. 18.1</p>
	<p>One hole EMT / Rigid conduit strap</p> <p>Material: Steel</p> <p>Size: 1/2" - 4"</p> <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  www.jencocanada.ca </div> <div style="text-align: center;">  Intertek 4009580 </div> </div> <p style="text-align: center;">Certified to CSA STD C22.2 No. 18.1</p>
	<p>Two hole EMT / Rigid conduit strap</p> <p>Material: Steel</p> <p>Size: 1/2" - 4"</p> <div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">  www.jencocanada.ca </div> <div style="text-align: center;">  Intertek 4009580 </div> </div> <p style="text-align: center;">Certified to CSA STD C22.2 No. 18.1</p>